





TABLE OF CONTENTS

Door Specs


Sidelite Specs

Accessory Specs

INTRODUCTION	1-5	WHITE OAK SERIES	172-183
Introduction	2-3	Door Specs	173-179
Plastpro's Quality	4	Sidelite Specs	180-182
Door Specifications	5		
		ONELITE SERIES	184-191
LIMITED SERIES	6-9	Door Specs	185-189
Door Specs	7-9	Sidelite Specs	190
MODERN SERIES	10-21	NOVA SERIES	192-207
Door Specs	11-21	Door Specs	193-198
		Sidelite Specs	199-202
CRAFTSMAN SERIES	22-49	Accessory Specs	203-207
Door Specs	23-34		
Sidelite Specs	35-43	TRIMMABLE SERIES	208-209
Accessory Specs	44-49	Door Specs	209
RUSTIC SERIES	50-69	DOORLITE SERIES	210-215
Door Specs	51-63	Glass Sizes & Cutout Codes	211
Sidelite Specs	64	Glass Size Charts	212-213
Accessory Specs	65-69	Solution Doorlite Series	214
MAHOGANY SERIES	70-79	TESTING RESULTS	216
Door Specs	71-76		
Sidelite Specs	77-79	NOTES	218-220
OAK SERIES	80-121		
Door Specs	81-108		
Sidelite Specs	109-120		
Accessory Specs	121		
SMOOTH SERIES	122-171		

123-157

158-169



ABOUT PLASTPRO

We choose a door for its aesthetic qualities, but doors offer so much more than a cohesive look for our homes. Our front doors are the gateway to welcoming guests and loved ones. From ushering us into the start of the day to welcoming us back to our homes and families at the end of the day, doors are an important and impactful part of the house. They reflect our style and offer protection for the people that matter most. We want you to choose a door that best represents you, makes you feel secure, and fits your needs.

Since 1994, Plastpro has focused on providing a superior product with the best value, technology, and commitment to our customers. Wood and steel doors were historically preferred in the industry, but both come with long-term problems, such as rotting, rusting, and weather damage. Our fiberglass doors are the best solution for these longevity issues. They are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield Technology, and composite Polyfiber (PF) Frames to the industry. Our doors feature a full-length LVL block that provides stronger rigidity and allows a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles to elevate any home.

From the beginning, we've been committed to providing superior products and to creating opportunities. Our goal is to create positive change for our employees, customers, and our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. With a Plastpro door, you not only acquire a beautiful door with the best quality, you join us in giving back to others.

TECHNOLOGY

Plastpro brings the latest technological advancements to the industry to meet the needs of our customers. Our commitment to quality is backed by extensive research and vertical integration, ensuring consistently innovative products. Through vertical integration, we control each stage of development, prioritizing improvement from raw materials to the finished product. Since the opening of our Ashtabula, Ohio plant in 2005, Plastpro has achieved even greater quality control, as well as the flexibility to create new products to better react to market need and demand. We're able to offer homeowners the widest possible choice of product designs and sizes. From our design process, to the assembly and delivery of our products, Plastpro ensures everything we do meets our rigorous standards. We have built a reputation for offering the best quality and innovative products through extensive research and technological developments.

SUSTAINABILITY

Plastpro also does our part to preserve the environment by creating sustainable products. For us, sustainability means balancing our environmental, economic, and social goals. Fiberglass is a natural choice for consumers seeking green, sustainable building materials.

Our fiberglass doors are a great, green alternative because they are durable, have a longer lifespan, are energy efficient, and environmentally friendly. We are especially proud of our proprietary foam core- not only does it provide superior insulation, it is compliant with the Environmental Protection Agency's SNAP 20 regulations for cleaner air, contains no Volatile Organic Compounds, and makes use of more sustainable alternatives for foam blowing agents when possible- both zero-ozone-depleting blowing agents and low Global Warming Potential (GWP) blowing agents.

And we can't leave out our fiberglass itself: the material is designed to last for decades and is impervious to time, temperature, and corrosive agents, leading to less waste. The longer lifecycle of the fiberglass material also makes Plastpro doors more cost effective and reduces the amount of resources needed for manufacturing. Plastpro doors require less maintenance than traditional wood doors, which consumes a large part of a building's budget. Over a building's lifetime, maintenance can easily exceed the original construction costs.

ENERGY EFFICIENT

Plastpro is committed to providing sustainable products for our customers while maintaining the integrity and balance of natural resources. Choosing a Plastpro door means selecting the best value for you, while minimizing your long-term environmental impact.

Fiberglass doors are one of the most energy-efficient building products available on the market. Our fiberglass doors maximize insulation with high-density, polyurethane foam cores. Thorough insulation is one of the best ways to reduce energy consumption and building operation costs by sealing out the elements. Therefore, our ENERGY STAR Qualified Doors offer homeowners savings by conserving electricity and lowering bills, while also improving comfort and helping protect the environment.

SECURITY

As a door company, one of our most important goals is providing families with safe homes, which is why the anatomy of our fiberglass doors has been thoughtfully designed to provide one of the most secure doors on the market. Fiberglass doors are much less likely to be dented or damaged by impact compared to their wood counterparts. Plastpro's door skins are manufactured with SMC skin technology, a glass fiber reinforced polyester material that is even stronger than standard fiberglass- making our doors extremely resistant against outside force. Meanwhile, the inside of a Plastpro door is filled with high-density foam that provides firm structural support due to its rigid, tight packing.

Plastpro's doors are also equipped with a full-length lockblock made of laminated veneer lumber (LVL). Most other fiberglass doors have lockblocks that only surround the immediate 18-20" vicinity of the lock, and the rest of the space above and below is filled in with foam. However, our lumber runs the full vertical length of the door, providing additional rigidity that prevents the door from being kicked in by an intruder or blown in by severe weather. Additionally, the LVL material will absorb bendable stress without snapping, unlike a wood material. Of course, the extended lockblock length also adds holding strength for the lock and can easily accommodate any lock or additional hardware you choose.

WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

PLASTPRO'S QUALITY

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. When paired with our Polyfiber (PF) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.



1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many stunning design options, and customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High-strength, composite top and bottom rails prevent moisture from seeping into the door and stop the buildup of mold.

4 EXTENDED LOCKBLOCK


Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

5 POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.




DOOR SPECIFICATIONS

PLASTPRO DOOR SIZES							
WID	WIDTH			GHT			
2' 0"	23 ¾"		6′ 8″	79 1⁄4"			
2' 4"	27 3/4"		7′ 0″	83 1/4"			
2′ 6″	29 ¾"	Х	8′ 0″	95 1⁄4"			
2′ 8″	31 ¾"	^					
2′ 10″	33 ¾"						
3′ 0″	35 ¾"						
3′ 6″	41 ¾"						

- Nominal Size
- Door Thickness: 1 34"
- Actual Size

PLASTPRO SIDELITE SIZES								
WIE	DTH		HEIGHT					
1′ 0″	11 1/8"		6′ 8″	79 1⁄4"				
1′ 2″	13 1/8"		7′ 0″	83 1/4"				
		х	8′ 0″	95 1/4"				
		^						

- Nominal Size
 - e Sidelite Thickness: 1 ¾"
- Actual Size



DOOR SPECIFICATIONS

ARTWORK SCALE: 1/2"=1"


LIMITED SERIES

Our Limited Series was created to showcase the richest, most luxurious graining available. This line includes Knotty Alder, which features a rich grain patterned with knots, and Teak, a worldwide favorite for its beautiful, straight, yet occasionally wavy or interlocked grain patterns. Giving off a natural luster and luxurious feeling, these doors are status symbols.

PG 6 - 9




AVAILABLE SIZING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CARVING DETAIL CLOSE UP




TEAK GRAII

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"

6'8" DRK2B TWO PANEL DOOR


AVAILABLE SIZING


ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CARVING DETAIL CLOSE UP





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

LIMITED SERIES

MODERN SERIES


The Modern Series provides effortless, contemporary door designs. With simple panel details and single patterned glass, this series is full of clean lines and looks that can refresh any home's exterior.

PG 10 - 21




AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1"




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CARVING DETAIL CLOSE UP




OAK GRAIN

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CARVING DETAIL CLOSE UP



6'8" DMG51 NAPOLI DOOR

AVAILABLE SIZING


35.75" 29.75" 33.75" 6.00" 29.25" 6.00" 23.25" 27.25" 6.00" 11.03" 13.69" 2' 6" x 6' 8" 13.69" 79.25" 31.75" 13.69" 6.00" 25.25" 13.69" 11.03"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 8" x 6' 8"


CARVING DETAIL CLOSE UP

3' 0" x 6' 8"



ARTWORK SCALE: 1/2"=1'

2' 10" x 6' 8"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

ARTWORK SCALE: 1/2"=1'


3' 0" x 8' 0" 3' 6" x 8' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MODERN SERIES



3' 0" x 8' 0" 3' 6" x 8' 0"


NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS

AVAILABLE SIZING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MODERN SERIES

ARTWORK SCALE: 1/2"=1'

AVAILABLE SIZING




3' 0" x 8' 0" 3' 6" x 8' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



MODERN SERIES

CRAFTSMAN SERIES


CRAFTSMAN SERIES

The Craftsman Series pulls design inspiration from 19th and 20th-century architecture, featuring flat panels and traditional styles. This series combines modern and classic elements with a selection of ovolo profiles, simple Shaker profiles, and sleek direct glazed options. Skin options in this series are Fir and Smooth.


PG 22 - 49

6'8" DRS1K/DRF1K ONE PANEL DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

AVAILABLE SIZING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING.


NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR. ADD-IN LITE FRAME AVAILABLE IN SOLUTION DOORLITE SERIES.

ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING SIDELITES




SLFDC Available Widths: 1′ 0″





SLS3C/SLF3C Available Widths:

Spec Page = 36



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING SIDELITE

SLS3C80/SLF3C80 Available Widths: 1′ 0″


1′ 2″


Spec Page = 37


6'8" DRS3F/DRF3F THREE PANEL CRAFTSMAN

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'








NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING.

NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR. ADD-IN LITE FRAME AVAILABLE IN SOLUTION DOORLITE SERIES.

MATCHING SIDELITES



SLS3FL/SLF3FL Available Widths: 1′ 0″ 1′ 2″

Spec Page = 38

Available Widths: 1′0″ 1′ 2″

SLS3S/SLF3S

Spec Page = 39

SLS3SL/SLF3SL Available Widths: 1'0" 1′ 2″

Spec Page = 40


CRAFTSMAN SERIES


AVAILABLE SIZING

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'


ARTWORK SCALE: 1/2"=1'





3' 0" x 8' 0" 3' 6" x 8' 0"

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING. NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR.

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS

SLS3SL/SLF3SL Available Widths:

Spec Page = 40

SLS3FL/SLF3FL Available Widths:

Spec Page = 38



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING SIDELITE

SLS3S80L/SLF3S80L Available Widths:


1′ 0″ 1′ 2″

Spec Page = 42

6'8" DRS3J/DRF3J THREE PANEL DOOR


AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING.


NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR. ADD-IN LITE FRAME AVAILABLE IN SOLUTION DOORLITE SERIES.

MATCHING SIDELITES




6'8" SLFDC DIRECT GLAZED FULL LITE SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING.

NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR. ADD-IN LITE FRAME AVAILABLE IN SOLUTION DOORLITE SERIES.








NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING DOOR



CRAFTSMAN SERIES



Glass Measurements

6.75"

15.78"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING DOOR



8'0" SLS3C80/SLF3C80 DIRECT GLAZED TOP LITE SIDELITE

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'





6.75" 21.00"

Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING DOOR




Available Widths:


Spec Page = 28


6'8" SLS3S/SLF3S THREE PANEL SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'









Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING DOORS














NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING DOORS














Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING DOORS








8'0" SLS3S80/SLF3S80 THREE PANEL SIDELITE

AVAILABLE SIZING


ARTWORK SCALE: 1/2"=1'



1' 2" x 8' 0"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING DOORS



DRS3F80/DRF3F80

Available Widths:

NOTE: DOES NOT MATCH WITH 3'6" x 8'0"

Spec Page = 30




DRS3S80L/DRF3S80L

Available Widths: 2' 8"

2′ 10″ 3′ 0″

Spec Page = 32



7.73" 15.73"

Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS

DRS3S80L/DRF3S80L Available Widths: 2' 10" 3' 0"

Spec Page = 32

6'8" SLF3J THREE PANEL SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING.

NOTE: PLASTPRO DOES NOT PROVIDE PRE-CUT CONFIGURATION SERVICE FOR THIS DOOR. ADD-IN LITE FRAME AVAILABLE IN SOLUTION DOORLITE SERIES.

MATCHING DOOR





ACCESSORY DIMENSIONS

AVAILABLE SIZING

ARTWORK NOT TO SCALE

ACDSSW2404/ACDSFT2404 4 BLOCK DENTIL SHELF SMOOTH & FIR





ARTWORK NOT TO SCALE


Front Profile

ACCESSORY INFO

Parts Per Set: 1 4 Block Dentil Shelf


Matching Doors:

DRS3F/DRF3F | Spec Page 29
DRS3SL/DRF3SL | Spec Page 31



Side Profile

ACDSFT2704 4 BLOCK DENTIL SHELF FIR



ACCESSORY INFO

Parts Per Set: 1 4 Block Dentil Shelf


Matching Doors:

 DRF3C
 | Spec Page 27

 DRF3C80
 | Spec Page 28


 DRF3F80
 | Spec Page 30

 DRF3S80L
 | Spec Page 32



ACDSSW2704 4 BLOCK DENTIL SHELF SMOOTH

DENTIL SHELVES




ACCESSORY INFO


Parts Per Set: 1 4 Block Dentil Shelf

Matching Doors:

DRS3F/DRF3F | Spec Page 29 DRS3S/DRF3S | Spec Page 31



ACDSSW2716 16 BLOCK DENTIL SHELF SMOOTH



A	C	С	E	S	S	0	R	Y	Ī	N	F	0	
---	---	---	---	---	---	---	---	---	---	---	---	---	--

Parts Per Set: 1
16 Block Dentil Shelf


Matching Doors:


 DRS3C
 | Spec Page 27

 DRS3C80
 | Spec Page 28

 DRS3F80
 | Spec Page 30

 DRS3S80L
 | Spec Page 32





SDL BARS SIMULATED DIVIDED LITES

ACCESSORY DIMENSIONS


ARTWORK SCALE: AS NOTED

1.50" 0.56"

SDL BAR SIDE PROFILE

ARTWORK SCALE: 1"=1"

ACSDF23001 3-LITE FOR 6'8" FIR DOOR ACSDW23005 3-LITE FOR 6'8" SMOOTH DOOR




ACCESSORY INFO

ARTWORK SCALE: 1 1/2"=1"


Pieces Per Set: 4 17 ^{1/8}" SDL Bars (4 pcs.)

Matching Doors:

DRF3C G000 | Spec Page 27 DRS3C G000 | Spec Page 27



ACSDF23002 6-LITE FOR 6'8" FIR DOOR ACSDW23006 6-LITE FOR 6'8" SMOOTH DOOR




ACCESSORY INFO

ARTWORK SCALE: 1 1/2"=1"

Pieces Per Set: 10 25 ¾" SDL Bars (2 pcs.) $8^{21}/_{32}$ " SDL Bars (8 pcs.)

Matching Doors:


DRF3C G000 | Spec Page 27 DRS3C G000 | Spec Page 27



SDL BARS SIMULATED DIVIDED LITES

ACCESSORY DIMENSIONS

ACSDF23005 3-LITE FOR 8'0" FIR DOOR ACSDW23001 3-LITE FOR 8'0" SMOOTH DOOR




ACCESSORY INFO

ARTWORK SCALE: 1 1/2"=1"

Pieces Per Set: 4 23" SDL Bars (4 pcs.)


Matching Doors:

DRF3C80 G000 | Spec Page 28 DRS3C80 G000 | Spec Page 28




ARTWORK SCALE: AS NOTED

ACSDF23006 6-LITE FOR 8'0" FIR DOOR ACSDW23002 6-LITE FOR 8'0" SMOOTH DOOR



ACSDF23004 2-LITE FOR 6'8" & 8'0" FIR SIDELITE ACSDW23004 2-LITE FOR 6'8" & 8'0" SMOOTH SIDELITE




ACCESSORY INFO

ARTWORK SCALE: 1 1/2"=1"

Pieces Per Set: 10 26" SDL Bars (2 pcs.) 11 ³/₁₆" SDL Bars (8 pcs.)

Matching Doors:

DRF3C80 G000 | Spec Page 28 DRS3C80 G000 | Spec Page 28




ACCESSORY INFO

ARTWORK SCALE: 1 1/2"=1"

Pieces Per Set: 2 8 3/4" SDL Bars (2 pcs.)

Matching Sidelites:

SLF3C G000 | Spec Page 36 SLF3C80 G000 | Spec Page 37 SLS3C G000 | Spec Page 36 SLS3C80 G000 | Spec Page 37



CRAFTSMAN SERIES

П

SDL BARS SIMULATED DIVIDED LITES

SMOOTH & FII

AVAILABLE SIZING

0.50"

0.64"

0.16"

SDL BAR SIDE PROFILE ARTWORK NOT TO SCALE

ACSDF3S680-3L 3-LITE FOR 6'8" FIR DOOR
ACSDS3S680-3L 3-LITE FOR 6'8" SMOOTH DOOR




ACCESSORY INFO
ARTWORK SCALE: 1 ½"=1"

Pieces Per Set: 2 15.87" SDL Bars (2 pcs.)


Matching Doors:

DRF3SL | Spec Page 31
DRS3SL | Spec Page 31



ARTWORK SCALE: AS NOTED

ACSDF3S680-6L 6-LITE FOR 6'8" FIR DOOR
ACSDS3S680-6L 6-LITE FOR 6'8" SMOOTH DOOR




ACCESSORY INFO
ARTWORK SCALE: 1 ½"=1"

Pieces Per Set: 3

22.22" SDL Bars (1 pcs.) 15.83" SDL Bars (2 pcs.)

Matching Doors:

DRF3SL | Spec Page 31
DRS3SL | Spec Page 31




SMOOTH & FIR

AVAILABLE SIZING

ACSDF4S6802-2SL 3-LITE FOR 6'8" FIR DOOR

ACSDS3S6802-2SL 3-LITE FOR 6'8" SMOOTH DOOR



ACCESSORY INFO

ARTWORK SCALE: 3"=1"

Pieces Per Set: 1
7.9" SDL Bars (1 pcs.)

Matching Doors:

DRF3SL | Spec Page 31
DRF3SL | Spec Page 31

ARTWORK SCALE: AS NOTED

RUSTIC SERIES

Doors in the Rustic Series make use of charming features like vertical planks, distinct panel details, and arched and radius tops for a homey, country appeal. For those who want to up the vintage look, the Rustic Series also includes a line of wrought iron accessories for further customization.


PG 50 - 69


6'8" DRATP TRUE PLANK DOOR


SQUARE TOP

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'







NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

ARTWORK SCALE: 1/2"=1'


AVAILABLE SIZING


ARTWORK SCALE: 1/2"=1'


3' 0" x 7' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

AVAILABLE SIZING








NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


AVAILABLE SIZING

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'






NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

3' 0" x 8' 0"




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.



AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS







A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'






3' 0" x 8' 0"

3' 6" x 8' 0"


NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




58



3′ 6″ x 6′ 8″

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



3' 0" x 6' 8"




 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




AVAILABLE SIZING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


ARTWORK SCALE: 1/2"=1'

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

13.88"

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING DOORS




18" ACCHGSTP18 WROUGHT IRON HINGE STRAP

ACCESSORY DIMENSIONS

ARTWORK SCALE: 3"=1'




ACCESSORY INFO




Pieces in Set: 10 18" Hinge Strap (x3)

Matching Doors: Rustic Door Series




Pieces in Set: 10 1.50" Square Clavos (x10)

Matching Doors: Rustic Door Series




1.25" ACCLP14Q SQUARE CLAVOS






Matching Doors: Rustic Door Series




1.50" ACCLP12R ROUND CLAVOS




Pieces in Set: 10 1.50" Round Clavos (x10)

Matching Doors: Rustic Door Series




1.25" ACCLP14R ROUND CLAVOS






Pieces in Set: 10 1.25" Round Clavos (x10)

Matching Doors: Rustic Door Series



ACCESSORY DIMENSIONS



5.06"


1.56"

0.12"

0.75"

2.50"

Side View




8.12"

ACCESSORY INFO

15.25"

ACCSPKY0910KIT WROUGHT IRON SPEAKEASY KIT



Pieces in Set: 3

Internal Frame - 8 ¾" x 10 1/16" External Frame - 8 1/8" x 10" Grill - 12" x 15 1/4"

Glass Type:


Clear

Door Cutout: 7" x 9"


Matching Doors: DRA2A DRA2B | Spec Page 59


DRA2D | Spec Page 60

DRA2R80 | Spec Page 62



ACCESSORY INFO





Pieces in Set: 2Internal Frame - 9 7/8" x 11 15/16" External Frame - 9 15/16" x 11 15/16"

Glass Type: Sea Spray Glass

Door Cutout: 9 1/8" × 11 1/8"

Matching Doors:

DRA2A | Spec Page 57
DRA2B | Spec Page 59
DRA2D | Spec Page 60
DRA2R80 | Spec Page 62




MAHOGANY SERIES

The Mahogany Series brings a beloved, wood texture into traditional, timeless styles. With classic panel designs that can carry all of our decorative glass options, this series radiates beauty and elegance.

PG 70 - 79


6'8" DRM3D THREE PANEL DELUXE DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



3/4 OVAL LITE		
3′0″	Cutout Glass	17.84" × 40.12" 16.78" × 38.72"

OVAL CUTOUT IS CENTERED IN PANEL HEIGHT

MATCHING SIDELITES



CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES

MAHOGANY SERIES

72





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



MAHOGANY SERIES

41.75"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




3' 6" x 8' 0"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



MAHOGANY SERIES

ARTWORK SCALE: 1/2"=1'

13.88"


CUTOUTS & GLASS

9" x 37" Cutout 8" x 36"

1' 0" x 6' 8"


A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



8'0" SLM6080 SIX PANEL SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS

FULL LITE Cutout 9" x 81" 8" x 80"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



MAHOGANY SERIES

MAHOGANY SERIES

OAK SERIES


OAK SERIES

The rich, grain texture of our Oak Series will deliver a classic look to any home. With many panel designs available, mix and match the Oak Series with our entire glass line to find the right, custom combination. These doors create a look that will never go out of style.

PG 80 - 121

6'8" DRG00 FLUSH DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



8'0" DRG0080 FLUSH DOOR



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



CUTOUTS & GLASS










OVAL IS CENTERED IN PANEL HEIGHT

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES







Available Widths: 1′ 0″ 1′ 2″

Spec Page = 112

35.75" 22.50" 4.63" 6.63" 5.50" 48.00" 79.25" 4.00" 13.50"

8.25"





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



3' 0" x 6' 8"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


OAK SERIES

AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS


AVAILABLE SIZING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS






OVAL IS CENTERED IN PANEL HEIGHT

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



CUTOUTS & GLASS



OVAL IS CENTERED IN PANEL HEIGHT


MATCHING SIDELITES



OAK SERIES


8'0" DRG3080 3/4 THREE PANEL DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



MATCHING SIDELITES





FULL LITE

Cutout 23" x 81"


Glass 22" x 80"

CUTOUTS & GLASS





A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING





AVAILABLE SIZING

3' 0" x 7' 0"


NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS





A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING



CUTOUTS & GLASS

AVAILABLE SIZING








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS

AVAILABLE SIZING






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



CUTOUTS & GLASS






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

8'0" DRG4180 TRUE FOUR PANEL DOOR

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS







MATCHING SIDELITES



CUTOUTS & GLASS






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



2' 8" x 6' 8"

3' 6" x 8' 0"

CUTOUTS & GLASS




3' 0" x 8' 0"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



102



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS







 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



AVAILABLE SIZING






ARTWORK SCALE: 1/2"=1'

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



3' 0" x 8' 0"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

79.25"

6.63"

AVAILABLE SIZING

22.50"


9.00"

Cutout 23" x 37" 22" x 36"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES





ARTWORK SCALE: 1/2"=1'

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES




104

41.75"

35.75"






Panel Spacing Detail

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

ARTWORK SCALE: 1/2"=1'


AVAILABLE SIZING

3' 0" x 8' 0" NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



13.88"

1' 2" x 7' 0"

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



8'0" SLG0080 FLUSH SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



OAK SERIES

110

11.88"

13.88"
3.00"
1' 2" x 6' 8"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

1' 0" x 6' 8"

1.94" 2.94" 79.25" 2.94" 79.25" 2.94" 79.25"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

8" x 65"

7" x 64"


13.88"

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



OAK SERIES

112

ARTWORK SCALE: 1/2"=1'

1' 0" x 8' 0" 1' 2" x 8' 0"

3.25"

12.75"

9.25"

CUTOUTS & GLASS



FULL LITE 9" x 81" Cutout 8" × 80"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS





AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

FULL LITE

Cutout

9" x 81"

8" × 80"

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS





3' 0"

Spec Page = 100

114


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING DOORS





NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



ARTWORK SCALE: 1/2"=1'

AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




 $\mathbf{A} = \mathsf{DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

FULL LITE FL1 ALL Cutout 8" x 65" Glass 7" x 64" A = 5.0"


MATCHING DOORS





NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS




ACDSGT2704 4 BLOCK DENTIL SHELF

ACCESSORY DIMENSIONS

27.00" 1.25" 3.50" 3.50" 1.19" 1.19" 1.19" 1.25" 0.38" 1.00" 1.25" 0.38" 1.00"

ACCESSORY INFO

Front Profile



Parts Per Set: 1 4 Block Dentil Shelf

Matching Doors:

OAK SERIES

ARTWORK NOT TO SCALE

Side Profile


SMOOTH SERIES

Our Smooth Series doors are made with a pre-pigmented, white skin; its simplicity gives a modern design and feel to any home. Our Smooth skin, incorporated with a variety of panel designs and glass options, will give a clean, minimal look to any home or can be painted for extra personality.

PG 122 - 171

6'8" DRS00 FLUSH PANEL DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



123

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



8'0" DRS0080 FLUSH PANEL DOOR



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



124

8.25"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 8" x 6' 8"

CUTOUTS & GLASS




3' 0" x 6' 8"


A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




AVAILABLE SIZING





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS





A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



SMOOTH SERIES





3' 0" x 6' 8" 2' 8" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



8'0" DRS2D80 TWO PANEL DOOR

AVAILABLE SIZING





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS





A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



SMOOTH SERIES






ARTWORK SCALE: 1/2"=1'

2' 10" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 8" x 6' 8"

CUTOUTS & GLASS





3' 0" x 6' 8"

 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES







NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 8" x 8' 0"

CUTOUTS & GLASS



3' 0" x 8' 0"


A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

132

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'


AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


ARTWORK SCALE: 1/2"=1'

33.75"

35.75"

23.00"

31.75"



2' 8" x 7' 0" 2' 10" x 7' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



3' 0" x 7' 0"

 $\mathbf{A} = \mathsf{DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING




5.38"

2' 10" x 8' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

31.75"

33.75"

2' 8" x 6' 8"

CUTOUTS & GLASS




3' 0" x 6' 8"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

8'0" DRS2980 3/4 TWO PANEL DOOR

AVAILABLE SIZING



9.25"

33.75"

5.38"


2' 10" x 8' 0"

ARTWORK SCALE: 1/2"=1'

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 8" x 8' 0"

CUTOUTS & GLASS



3' 0" x 8' 0"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



3' 0" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS






OVAL IS CENTERED IN PANEL HEIGHT

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS


AVAILABLE SIZING



OVAL IS CENTERED IN PANEL HEIGHT


MATCHING SIDELITES





CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES







AVAILABLE SIZING


NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




SMOOTH SERIES

CUTOUTS & GLASS



3' 0" x 7' 0"




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

8'0" DRS4180 TRUE FOUR PANEL DOOR


AVAILABLE SIZING


ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS







A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING




35.75" 31.75" 4.63" 6.63" 22.50" 9.00" 49.00" 79.25" 4.00" 13.50" 4.50" 8.06" 3' 0" x 6' 8"

2' 8" x 6' 8"

33.75" 5.63" 2' 10" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



Cutout 23" x 49" Glass 22" x 48"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"

35.75"

6.63"
22.50"

4.00"

7.00"

3.25"

24.75"

23.75"

10.25"


3′ 0″ x 6′ 8″

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



 $\mathbf{A} = \mathsf{DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING



AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING


SMOOTH SERIES

ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES








NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES




151

SMOOTH SERIES

33.75"





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




SMOOTH SERIES

152



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS






A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES



35.75"

6.63"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


2' 8" x 8' 0"

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



ARTWORK SCALE: 1/2"=1'


33.75"

ARTWORK SCALE: 1/2"=1'



CUTOUTS & GLASS


AVAILABLE SIZING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

SMOOTH SERIES

13.88"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




1' 0" x 6' 8"

 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING DOORS



158

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS





NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS




8'0" SLS3080 3/4 THREE PANEL SIDELITE

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



162

SMOOTH SERIES

AVAILABLE SIZING 11.88" 8.00" 1.94"

63.25" 95.25

13.88" 2.94" -

1' 0" x 8' 0"

23.75"

8.25

1' 2" x 8' 0"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



FULL LITE 9" x 81" Cutout 8" x 80"

A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS









Spec Page = 129





Spec Page = 145





ARTWORK SCALE: 1/2"=1"

Spec Page = 151

11.88" 13.88" 2.00" 3.00" -49.00" 79.25 4.00" 13.50" 8.06

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

1' 2" x 6' 8"

CUTOUTS & GLASS



1' 0" x 6' 8"


A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS




SMOOTH SERIES

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1" **AVAILABLE SIZING** ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING DOORS





NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS




166

AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



11.88" 13.88" 9.00" 1.44" 2.44" -7.81 42.00" 79.25" 2.00" 13.94" 8.50" 1' 0" x 6' 8" 1' 2" x 6' 8"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS

AVAILABLE SIZING




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS



SMOOTH SERIES

ACDSSW2704 4 BLOCK DENTIL SHELF




Front Profile

ACCESSORY INFO


Parts Per Set: 1 4 Block Dentil Shelf


Matching Doors: DRS6C | Spec Page 149



Side Profile

ACDSSW2716 16 BLOCK DENTIL SHELF






ACCESSORY INFO

Parts Per Set: 1 16 Block Dentil Shelf

Matching Doors:

DRS6C | Spec Page 149





SMOOTH SERIES


WHITE OAK SERIES

The White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich, oak texture in a pre-pigmented, white skin. With many decorative glass options to choose from, create a look that is both timeless and modern.

PG 172 - 183

6'8" DRV00 FLUSH DOOR

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS








A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES





NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS

AVAILABLE SIZING





A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING


MATCHING SIDELITES



3' 0" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




AVAILABLE SIZING



3' 0" x 8' 0"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUTS & GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

WHITE OAK SERIES

ARTWORK SCALE: 1/2"=1'





33.75"

3' 0" x 6' 8" 2' 8" x 6' 8" 2' 10" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS







A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITE



35.75" 31.75" 22.50" 4.63" 6.63" 9.25" 23.50" 79.25" 9.00" 6.25" 23.75" 8.25" 4.50" 3' 0" x 6' 8" 2' 8" x 6' 8"

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUTS & GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

WHITE OAK SERIES

WHITE OAK SERIES

11.88"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUT AND GLASS



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOOR



11.88"

1.94"

47.25"

2.94"


79.25"

1' 0" x 6' 8"

1' 2" x 6' 8"

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

CUTOUT AND GLASS




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS




8.00"

1.94"



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


CUTOUT AND GLASS



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOOR





I WHITE OAK SERIES

ONELITE SERIES


To maximize natural light without hassle, our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. These doors are available with a variety of beautiful, efficient, and private glass options- including low-emissivity glass, a Grid Between Glass (GBG) configuration, and cordless MiniBlinds.


PG 184 - 191

7'0" DRS1070 FLUSH GLAZED FULL LITE DOOR

SMOOTH

AVAILABLE SIZING





ARTWORK SCALE: 1/2"=1'

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME

2' 6" x 7'0"

GLASS & DAYLIGHT OPENING

3' 0" x 7' 0"




A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'

ARTWORK SCALE: 1/2"=1'




AVAILABLE SIZING

NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 83". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

ONELITE SERIES

10.50"


GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



A = DISTANCE FROM TOP OF DOOR TO TOP OF OPENING

MATCHING SIDELITES




189

ONELITE SERIES


AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

GLASS & DAYLIGHT OPENING



 ${\sf A}={\sf DISTANCE}$ FROM TOP OF DOOR TO TOP OF OPENING

MATCHING DOORS





40

ONELITE SERIES

NOVA SERIES

The Nova Series features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane allows the most scenery and natural light into your home. This generous portion of glass is available in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth skin.


PG 192 - 207

6'8" DRS1DL/DRF1DL NOVA 45 FULL LITE

DIRECT GLAZED


AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME

ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

6'8" DRS1E NOVA 90 3/4 LITE

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

MATCHING SIDELITES



2' 10" x 6' 8"

AVAILABLE SIZING




NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 6" x 6' 8"


MATCHING SIDELITES

3' 0" x 6' 8"



Spec Page = 201

AVAILABLE SIZING ARTWORK SCALE: 1/2"=1'



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING SIDELITES



196

ARTWORK SCALE: 1/2"=1'

2' 10" x 8' 0"



NOTE: BY REQUEST, DOOR HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

2' 6" x 8' 0"


MATCHING SIDELITES

3' 0" x 8' 0"

Spec Page = 202

SLS1S80

Available Widths:
1' 0"
1' 2"




NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING DOORS




5.66"

ARTWORK SCALE: 1/2"=1'







Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


1' 2" x 8' 0"

MATCHING DOORS



Spec Page = 196

AVAILABLE SIZING



Glass Measurements

NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 79". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.

1' 2" x 6' 8"

MATCHING DOORS

10.25"

1' 0" x 6' 8"




NOVA SERIES

201

ARTWORK SCALE: 1/2"=1'

AVAILABLE SIZING



NOTE: BY REQUEST, SIDELITE HEIGHT COMES IN VARYING DIMENSIONS TO A MINIMUM OF 95". EXCESS WILL BE TAKEN FROM BOTTOM RAIL. ALL OTHER DIMENSIONS WILL REMAIN THE SAME.


MATCHING DOORS



SDL BARS NOVA 45 - 10 LITE


AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1'



FIR - 10 LITE ACSDF1D68-10L

SMOOTH - 10 LITE ACSDW1D68-10L



FIR - 10 LITE ACSDF1D80-10L

SMOOTH - 10 LITE ACSDW1D80-10L


DIMENSIONS

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D68D10L/ACSDW1D68D10L	2′0″	11.66"	1.13"	5.84"	13.30"	63.33"	N/A
	ACSDF1D68A10L/ACSDW1D68A10L	2'6"	11.66"	1.13"	8.84"	19.30"	63.33"	N/A
6′8″	ACSDF1D68B10L/ACSDW1D68B10L	2'8"	11.66"	1.13"	9.84"	21.30"	63.33"	N/A
	ACSDF1D68C10L/ACSDW1D68C10L	3'0"	11.66"	1.13"	11.84"	25.30"	63.33"	N/A

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D80D10L/ACSDW1D80D10L	2′0″	14.68"	1.13"	5.84"	13.30"	79.33"	N/A
	ACSDF1D80A10L/ACSDW1D80A10L	2′6″	14.68"	1.13"	8.84"	19.30"	79.33"	N/A
8′0″	ACSDF1D80B10L/ACSDW1D80B10L	2'8"	14.68"	1.13"	9.84"	21.30"	79.33"	N/A
	ACSDF1D80C10L/ACSDW1D80C10L	3′0″	14.68"	1.13"	11.84"	25.30"	79.33"	N/A

FIR - 12 LITEACSDF1D68-12L26

SMOOTH - 12 LITE ACSDW1D68-12L26




FIR - 12 LITE ACSDF1D80-12L26

SMOOTH - 12 LITE ACSDW1D80-12L26

DIMENSIONS

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D68D12L26/ACSDW1D68D12L26	2′0″	9.53"	1.13"	5.84"	13.30"	63.33"	N/A
	ACSDF1D68A12L26/ACSDW1D68A12L26	2'6"	9.53"	1.13"	8.84"	19.30"	63.33"	N/A
6′8″	ACSDF1D68B12L26/ACSDW1D68B12L26	2'8"	9.53"	1.13"	9.84"	21.30"	63.33"	N/A
	ACSDF1D68C12L26/ACSDW1D68C12L26	3′0″	9.53"	1.13"	11.84"	25.30"	63.33"	N/A

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D80D12L26/ACSDW1D80D12L26	2′0″	12.20"	1.13"	5.84"	13.30"	79.33"	N/A
	ACSDF1D80A12L26/ACSDW1D80A12L26	2'6"	12.20"	1.13"	8.84"	19.30"	79.33"	N/A
8′0″	ACSDF1D80B12L26/ACSDW1D80B12L26	2'8"	12.20"	1.13"	9.84"	21.30"	79.33"	N/A
	ACSDF1D80C12L26/ACSDW1D80C12L26	3′0″	12.20"	1.13"	11.84"	25.30"	79.33"	N/A




AVAILABLE SIZING

SDL BARS NOVA 45 - 12 LITE

FIR - 12 LITE ACSDF1D68-12L34

SMOOTH - 12 LITE ACSDW1D68-12L34



FIR - 12 LITE ACSDF1D80-12L34

SMOOTH - 12 LITE ACSDW1D80-12L34

DIMENSIONS


ı	HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
		ACSDF1D68D12L34/ACSDW1D68D12L34	2′0″	14.86"	1.13"	3.52"	13.30"	63.33"	N/A
		ACSDF1D68A12L34/ACSDW1D68A12L34	2'6"	14.86"	1.13"	5.52"	19.30"	63.33"	N/A
	6′8″	ACSDF1D68B12L34/ACSDW1D68B12L34	2'8"	14.86"	1.13"	6.12"	21.30"	63.33"	N/A
		ACSDF1D68C12L34/ACSDW1D68C12L34	3′0″	14.86"	1.13"	7.52"	25.30"	63.33"	N/A

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D80D12L34/ACSDW1D80D12L34	2′0″	18.86"	1.13"	3.52"	13.30"	79.33"	N/A
0/0//	ACSDF1D80A12L34/ACSDW1D80A12L34	2'6"	18.86"	1.13"	5.52"	19.30"	79.33"	N/A
8′0″	ACSDF1D80B12L34/ACSDW1D80B12L34	2'8"	18.86"	1.13"	6.12"	21.30"	79.33"	N/A
	ACSDF1D80C12L34/ACSDW1D80C12L34	3'0"	18.86"	1.13"	7.52"	25.30"	79.33"	N/A

AVAILABLE SIZING


FIR - 15 LITE ACSDF1D68-15L

SMOOTH - 15 LITE ACSDW1D68-15L




FIR - 15 LITE ACSDF1D80-15L

SMOOTH - 15 LITE ACSDW1D80-15L



FIR - 9 LITE ACSDF1D68-9LQ

SMOOTH - 9 LITE ACSDW1D68-9LQ



FIR - 9 LITE ACSDF1D80-9LQ

SMOOTH - 9 LITE ACSDW1D80-9LQ

DIMENSIONS

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D68D15L/ACSDW1D68D15L	2′0″	11.66"	1.13"	3.52"	13.30"	63.33"	N/A
	ACSDF1D68A15L/ACSDW1D68A15L	2'6"	11.66"	1.13"	5.52"	19.30"	63.33"	N/A
6′8″	ACSDF1D68B15L/ACSDW1D68B15L	2'8"	11.66"	1.13"	6.12"	21.30"	63.33"	N/A
	ACSDF1D68C15L/ACSDW1D68C15L	3′0″	11.66"	1.13"	7.52"	25.30"	63.33"	N/A

HEIGHT	ITEM	WIDTH	Α	В	С	D	Е	F
	ACSDF1D80D15L/ACSDW1D80D15L	2'0"	14.86"	1.13"	3.52"	13.30"	79.33"	N/A
	ACSDF1D80A15L/ACSDW1D80A15L	2'6"	14.86"	1.13"	5.52"	19.30"	79.33"	N/A
8'0"	ACSDF1D80B15L/ACSDW1D80B15L	2'8"	14.86"	1.13"	6.12"	21.30"	79.33"	N/A
	ACSDF1D80C15L/ACSDW1D80C15L	3'0"	14.86"	1.13"	7.52"	25.30"	79.33"	N/A

DIMENSIONS

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D68D9LQ/ACSDW1D68D9LQ	2′0″	52.56"	1.13"	2.56"	13.30"	63.33"	4"
	ACSDF1D68A9LQ/ACSDW1D68A9LQ	2'6"	52.56"	1.13"	8.56"	19.30"	63.33"	4"
6′8″	ACSDF1D68B9LQ/ACSDW1D68B9LQ	2'8"	52.56"	1.13"	10.56"	21.30"	63.33"	4"
	ACSDF1D68C9LQ/ACSDW1D68C9LQ	3′0″	52.56"	1.13"	14.56"	25.30"	63.33"	4"

HEIGHT	ITEM	WIDTH	Α	В	С	D	E	F
	ACSDF1D80D9LQ/ACSDW1D80D9LQ	2′0″	68.56"	1.13"	2.56"	13.30"	79.33"	4"
	ACSDF1D80A9LQ/ACSDW1D80A9LQ	2'6"	68.56"	1.13"	8.56"	19.30"	79.33"	4"
8′0″	ACSDF1D80B9LQ/ACSDW1D80B9LQ	2'8"	68.56"	1.13"	10.56"	21.30"	79.33"	4"
	ACSDF1D80C9LQ/ACSDW1D80C9LQ	3′0″	68.56"	1.13"	14.56"	25.30"	79.33"	4"

206

TRIMMABLE SERIES

Our Trimmable Series is designed to fit in a variety of existing entryways and is perfect for for remodels with non-standard sizing. Contractors can make adjustments up to 2" in height and width to the door. Trimmable Doors are available in Oak and Smooth skins.


PG 208 - 209



OAK & SMOOTH

AVAILABLE SIZING

ARTWORK SCALE: 1/2"=1"



TRIMMABLE MODELS

36" X 80" DOORS

OAK SERIES

DRG00T - Flush

DRG61T - Six Panel Utility

SMOOTH SERIES

DRS00T - Flush

DRS41T - True Four Panel

DRS61T - Six Panel Utility


DOORLITE SERIES

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accompanies that transition better than our exclusive glass designs, which improve the look and value of the home.

Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glass that provides exceptional security, soundproofing, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates the door and home for years to come. Unlike the competition, our metal caming includes a gasket that cushions and protects the glass from chipping, cracking, and rattling during door movement.

PG 210 - 215


GLASS SIZES & CUTOUT CODES



GI	LASS & SIZE	CAMELIA	PRISCILLA	ARTESANO BREEZE	BRENTWOOD
841	8" x 48"				•
342	22" x 48"				
843	25" x 48"				
344	24 ¼" x 38"		•		
346	29 ¾" x 50 ¼"				
3R4	24 ¼" x 38"		•		
R5	25 %" x 50 ¼"	•			
R6	29 %" x 50 ¼"	•	•		
V1	7" x 39 ½"				•
V2	16.78" x 38.72"				•
V3	13" x 53"				•
C1	8" x 41"	•	•	•	•
C2	9 ¾" x 41"	•	•		
C3	9 ½" x 57 ¼"				
P1	7 ½" x 18 ½"				
YE	11 ² % ₁ " x 36 ¾"	_	_	_	
L1	7" x 64" 8" x 80"				- :
L2 L5	8" x 80" 20" x 64"	- :			•
L6	20" x 80"			_	
L7	20 x 60 22" x 64"				
L8	22" x 80"				
IL2	8" x 36"				
IL3	20" x 36"				
IL4	22" x 36"				
L6	25 ½" x 50"				
R1	22" x 10"				
L1	25 ½" x 8 ¼"				
L3	25" x 15"				
L5	20" x 8 1/4"				
R1R	63" x 12"				
R2R	66 ½" x 13"				

GL	ASS & SIZE	CASTILE	KENSINGTON	SOLSTICE	SPRING
341	8" x 48"	•	•	•	•
343	25" x 48"				
342	22" x 48"				
344	24 ¼" x 38"				
346	29 ¾" x 50 ¼"				
3R4	24 ¼" x 38"				
3R5	25 ¾" x 50 ¼"				
3R6	29 ¾" x 50 ¼"				
3V1	7" x 39 ½"				
3V2	16.78" x 38.72"				
3V3	13" x 53"				
8C1	8" x 41"				
8C2	9 ¾" x 41"				
8C3	9 ½" x 57 ¼"				
9P1	7 ½" x 18 ½"				•
EYE	11 ²⁰ / ₆₁ " x 36 ³ / ₄ "				
FL1	7" x 64"		•		
FL2	8" x 80"		•		-
FL5	20" x 64"	•	•	•	
FL6	20" x 80"				
FL7	22" x 64"	•	•	•	•
FL8	22" x 80"	•	•		
HL2	8" x 36"		•		-
HL3	20" x 36"		•		
HL4	22" x 36"	•	•		-
HL6	25 ½" x 50"				-
HR1	22" x 10"	•			
TL1	25 ½" x 8 ¼"				-
TL3	25" x 15"				•
TL5	20" x 8 ¼"				
TR1R	63" x 12"	•	•	•	-
TR2R	66 ½" x 13"				

SOLUTION DOORLITE FRAME & GLASS OPTIONS



- Clear / LoE
- White Laminate
- Sandblast
- Sable
- Rooftop
- Narrow Reed
- 7" x 64"
- 8" x 6"
- 8" x 8"
- 8" x 36"
- 22" x 3"
- 22" x 8"
- 22" x 10"
- 22" x 15"
- 22" x 36"



Screw holding capacity. **ASTM D1761**

NWWDA TM-7 Cycle slam test.

NWWDA TM-8 Hinge load resistance test.

Air infiltration. **ASTM E 283**

Water resistant. **ASTM E 331 / E 547**

Uniform structural load. ASTM E 330

ASTM E1886 / E1996 Impact / cycle test.

Forced entry resistance test. **AAMA 1304**

TAS 201 Impact test.

Air / water / structural test. **TAS 202**

Wind pressure cycle test. **TAS 203**

Energy efficiency. NFRC 100 / 200 / 500

Sound transmission. ASTEM E90 / STC / OITC

Fire rated. ULC 10 C / NFPA 252 / ASTM E 2074

Volatile organic chemical emission test. CDPH / EHLB METHOD V1.1 2010

JIS Z 2801:2001 Antimicrobial products test.

ASTM D1413-07 Antifungal wood plastic composite test.

CSFM 12-7A-1 Exterior wildfire exposure test.

Exterior door test for manufactured housing. **AAMA 1702**

Operating cycle test. **AAMA 920**

North America fenestration test. AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.



NOTES	


NOTES

218

MEASURE YOUR DOORS AND SIDELITE


DOOR MEASUREMENTS

Door/ Opening	Width	Height	Notes
1			
2			
3			
4			



SIDELITE MEASUREMENTS

Opening	Width	Height	Notes
1			
2			











PlastproInc.com

5200 W. Century Blvd, 9th Floor Los Angeles, CA 90045

Phone: (800) 779-0561 Fax: (310) 693-8620







