

GUARD DOG PET DOOR



BHI Doors

Guard Dog Pet Door

Designed for easy pet access ,simplified security, and standardized doorlite style installation,this one-of-a-kind product is the perfect door component for pet owners.

PROTECTION from weather and atmospheric conditions (wind, rain, & severe weather)

SECURITY against forced entry featuring a unique locking system and reinforced panel

SIMPLICITY with easy and precise installation using a rectangular cutout and interior and exterior frame (Installs like a door lite insert)

ENERGY EFFICIENCY using a sealed and insulated security panel and pet lap with a magnetic air seal

AVAILABLE in two sizes:

Medium- up to 35lb dog (flap size 6-5/8"W x 11-1/4"H)

Large - up to 100lb dog (flap size 10-1/4"W x 15-3/4"H)





The Pet Door for the Door Fabricator

Expand your door line options and increase your market share and profits with a new value added product, the Guard Dog Pet Door.

VALUE ADDED PRODUCT that works in standard door systems along with doorlites and other components to turn products into pre-hungs.


THE MARKET for pet doors is on the rise. With the pet industry growing every year, the Guard Dog Pet Door is poised to help door fabricators increase their potential by offering the first code compliant pet door designed to be integrated into a pre-hung door system.

INVENTED FOR THE PRE-HANGER, the Guard Dog Pet Door is designed for simple and consistent installation using an interior and exterior frame system that installs just like a doorlite in a rectangular cutout.

FLORIDA BUILDING CODE COMPLIANCE

FL Approval Number	Door Height	Door Type	Configuration	Swing	MAX Frame Dimensions	Design Pressure (PSF)		Design Pressure (PSF)	
						Inswing	Outswing	Inswing	Outswing
40116.3	6/8	Opaque Fiberglass	Single	IS/OS	37.5" x 82"	+65	-70	+65	-65
40116.4	6/8	Glazed Fiberglass	Single	IS	37.5" x 82"	+45	+50	N/A	N/A
40116.5	8/0	Opaque Fiberglass	Single	IS/OS	37.5" x 98"	+60	-65	+60	-60
40116.6	8/0	Glazed Fiberglass	Single	IS/OS	37.5" x 98"	+40	-45	+40	-40

PATENT PENDING



REINFORCED LOCKING PANEL seals against a door stop with weather gaskets.



TWO PIECE FRAME comes ready for easy installation. The exterior trim comes with pre-adhered flush weather stripping to eliminate the need for caulking.



READY TO INSTALL with the interior trim countersunk and prepped for screws and screw hole covers. Hardware is included.

Medium Pet Door Model 3 Specifications (Part # GDPD-M)

- Made to fit in a flush or 2 panel door (Cutout size 9-1/8" X 14-3/8")
- Lexan pet flap 6-5/8" W x 11-1/4"H
- Installation height: 4" - 8" from the bottom of the door
- Use for up to a 35lb dog

Large Pet Door Model 3 Specifications (Part # GDPD-L)

- Made to fit in a flush or 2 panel door (Cutout size 13" X 18-3/8")
- Lexan pet flap 10-1/4" W x 15-3/4"H
- Installation height: 6" - 12" from the bottom of the door
- Use for up to a 100lb dog



The Pet Door for the Homeowner



The Guard Dog Pet Door provides easy pet access while ensuring peace of mind for the homeowner.

SIMPLE The security panel turns easily on a lift-off hinge and fastens with a single turn of the lock to limit pet access and protect the home.

SECURE The hinged and reinforced locking panel locks from the inside of the home to keep intruders out.

SUSTAINABLE Made partly from recycled materials, the Guard Dog Pet Door uses a polyurethane foam insulated security panel, an insulated tri-panel pet flap, and weather seals on both to keep the air in and the elements out.

SYNERGISTIC Meeting structural building codes and meeting a desirable form and function, the Guard Dog Pet Door comes pre-installed from the factory.


MODERN DESIGN with clean lines and a flush profile, for utility with a residential look.



INTERIOR



EXTERIOR



PVC Screw Hole Plugs

Metal security plate concealed with flush profile PVC

Compromise with your pet without compromising your home

LOCKING SECURITY PANEL




Hand turn lock with a hardened steel throw is simple and easy to operate.



The guard dog security panel operates on two lift-off hinges and can be easily removed when the door is unlocked and open but are strong and resilient when locked closed. For use in doors smaller than 3' wide and for homeowners who keep the dog door open most of the time.

PET FLAP



The lightweight and durable Air Seal pet flap consists of three jointed Lexan polycarbonate panels, suspended on a reinforced metal hanging rod. Each panel is insulated, and surrounded with sweeps and magnetic weather stripping.



The **GUARD DOG PET DOOR** comes fully assembled for easy installation!



INTERIOR



EXTERIOR

PVC manufacturers void all warranty if not painted with PVC grade paint that has a Light Reflective Value of 55 or higher



MANUFACTURED BY

PRO-KAY
SPECIALTY BUILDING PRODUCTS

DISTRIBUTED BY

BHIDoors

phone 1-800-966-7753 fax 813-977-5632
orders@bhitampa.com
www.bhiflorida.com

PATENT PENDING