BHIDoors SINCE 1963



2025 INTERIOR COLLECTION

www.bhiflorida.com

OUR STORY




Since 1963, BHI has been opening doors for Florida's residential builders and re-modelers. After years of growing in industry product knowledge and assembling an impressive selection of best-in-class components, BHI expanded to manufacture our own unique pre-hung exterior door system. That system was specifically built to withstand the tests of time in Florida's often unforgiving climate. Since then, our dealers have become accustomed to this enduring quality as well as our excellent service.

Several years ago we expanded our product offering to cover the inside of Florida's homes with our interior stile & rail door slabs and systems.

Our interior door collection is focused on the simple premise of crafting doors for the design needs of our diverse customers. It has something for every architectural space and style.

Interior Door Introduction	4
Design Ideas	5-9
Panel Doors Introduction	10
Primed Panel Doors	11-17
Primed Louver Doors	18
Glazed Doors Introduction	19
Primed Direct Glazed Doors	20
Primed Glazed Doors	21-22

Barn Doors	. 23-24
Barn Doors Hardware	. 25
System Options & Hardware	. 26
20-Minute Fire Rated Options	. 27
Standard Options	. 28
Hardware	. 29-32
Availability Guide	. 33-35



8401BK


Barn Door

Clear 10-Lite


Glazed Ovolo



4 BHI DOORS INTERIOR COLLECTION BHI DOORS INTERIOR COLLECTION 5




Contemporary homes reflect the architecture and design of today. They represent sharp design and clean curb appeal.






Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic.



DESIGN IDEAS | Classic



Classic homes are comforting and familiar. Their interiors are calm, orderly and consistent.



The Caribbean design combines aspects of Mediterranean, Spanish, and many other tropical architectural styles. Rustic textures compliment vivid color schemes in an inspiring mix of old world charm and casual playfulness.



Get the beautiful interior doors you need at the right time and cost with our interior stocking program. We carry many designs and sizes to meet the varying needs and tastes in our market.

Our Ovolo bead door offers traditional styling while our shaker door has a clean-cut, contemporary look. Glazed versions are also available (see pg 19).





Primed 8403





Available in 6/8 & 8/0

Ovolo Raised 2-Panel: OV22

With raised panels and beautiful embossed stop, our ovolo bead panel door options have a comforting and timeless design that compliments a wide range of aesthetics.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0


See chart on page 33-34 for availability

PRIMED PANEL DOORS PRIMED PANEL DOORS

Shaker 1-Panel: 8401

Sometimes, simple is best! This design will add clean, subtle details to your home's interior look.


These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Shaker 2-Panel: 8402

Our new take on a classic design, we have updated this timeless look with clean cut edges and flat panels.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0




Available in 6/8 & 8/0

PRIMED PANEL DOORS PRIMED PANEL DOORS

Shaker Craftsman 3-Panel: 8403

Keep the hand-worked touches flowing through the interior of your home with this unique design.

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Shaker Equal 3-Panel: 8433

Our most subtle version of the contemporary multi-paneled look.


These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

PRIMED PANEL DOORS PRIMED PANEL DOORS

Shaker 4-Panel: 8444

This sharp, trendy look is sure to impress!


These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Shaker 5-Panel: 8405

Five stacked panels offer a high-end modern feel.


These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

Louver 2-Panel: 8730

BHI's primed louver doors and bifolds increase ventilation and promote air flow.

Our 3-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness only.



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0



Clear & diffused white lami glass comes in multiple lite configurations and we have exciting full lite printed glass options as well.

PRIVACY GUIDE

3'0" x 6'8" 1310 Primed French Door With Clear 10-Lite Glass

BHI Doors offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. Note: This guide is subjective. It should only be used when comparing our glass designs.

PRIVACY





















Completely Clear


Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

Completely Opaque

Only light will travel through from the opposite



Direct Glazed Options:

These come in 6/8 & 8/0 heights at 1-3/8" thickness.

Shaker style comes in clear or diffused white lami while Ovolo style comes only in clear.



Clear Safety Glass (CL)
PRIVACY 1



DWL Safety Glass (GL)
PRIVACY



Ovolo & Quirk Bead Options:

BHI has a great selection of full lite printed glass designs that can come with the Ovolo or Quirk bead. All designs come on safety glass.



Ovolo Bead



Quirk Bead









Pantry PRIVACY 7



Laundry PRIVACY 7



Patter PRIVACY 9



Steam PRIVACY 7



Corduroy PRIVACY 7


PRIMED GLAZED DOORS BARN DOORS


Ovolo Woodbar Clear

We keep it classic by applying Ovolo beaded woodbars over clear safety glass, for a fantastic french door feel.

These come in 6/8 & 8/0 heights at 1-3/8" thickness.







Knotty Alder: SKA8400 Series







Primed: PRI8400 Series







PRI8402BK

Ovolo Bead







3'6" x 7'0" Knotty Alder 8402BK With Rustic Track.

See chart on page 35 for availability

See chart on page 35 for availability

BARN DOOR HARDWARE BARN DOOR HARDWARE

We offer several hardware options in matte black, satin nickel, and brushed stainless steel. There are two styles of barn door track: rustic and contemporary. Our rustic track comes with a bent strap hanger. BHI also offers a contemporary track with a top mount roller. Our hardware is tested to handle doors up to 225 pounds and comes in two sizes, 84" and 96". Select your track and pair it with the perfect handle and pull.

Rustic Track + Hardware



Matte Black



Brushed Stainless Steel

Contemporary Track + Hardware




Matte Black



Brushed Stainless Steel





Available lengths 12" & 24" in both Stain Nickel & Matte Black. (Matches Stainless Steel Track)

Contemporary Bar Pulls



Matte Black



Brushed Stainless Steel

6½" Rustic Handles



Matte Black



Brushed Stainless Steel

Soft Close Hardware




Matte Black



Brushed Stainless Steel

12" Handle & Flush Pull Kits





Brushed Stainless Steel

Other parts and accessories are stocked in both stainless steel & matte black finishes, talk to your rep for more details.



4"x4" 5/8" Radius Hinge Finishes







Black (Ball bearing only)



Oil Rubbed Bronze (Ball bearing only)

All 20-minute doors come with 2 spring hinges to match the finishes above.

Sill Options

QOSR

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket

QOSH

- High performance seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket





Sill Finishes

Mill Finish




Black Finish




Bronze Finish

Jamb



ISCS


- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



Primed Single Rabbet Jamb (4-9/16", 5-1/4" 6-9/16", 7-1/4")

ISW

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



STANDARD OPTIONS HARDWARE

3-1/2" or 4" 5/8" Radius Hinge Finishes



(4x4 plain bearing only)

Black (4x4 ball bearing only)

Oil Rubbed Bronze (4x4 ball bearing only)

Satin Brass (4x4 plain bearing only)

Flush Bolts 7" Flush Bolts (6/8, 7/0)



Satin Nickel (Also available in black & oil rubbed bronze)

16" Flush Bolts (8/0)



Oil Rubbed Bronze (Also available in satin nickel & black)

Ball Catch & Strike



Satin Nickel (Also available in black & oil rubbed bronze)

Astragals & Jambs



Composite Astragal (Available for 1-3/8" or 1-3/4" doors)



Combo Jamb For use with 1-3/8" or 1-3/4" (Available in 4-9/16" & 4-7/8" widths)

For additional jamb width options, BHI offers a Flat Jamb in 6-9/16" width which can be paired with our 1-1/4" Stop

Leversets & Knobsets

Available in Entry, Privacy, & Passage functions.

Valdosta



Satin Nickel (Also available in black)

Cambridge



Norwood



Oil Rubbed Bronze (Also available in satin nickel & black)

Black (Also available in satin nickel & oil rubbed bronze)

Privacy Latch



Matte Black (also available in satin chrome & oil rubbed bronze)

Drive In Finger Pull



Satin Nickel (also available in black & oil rubbed bronze)

Roller Catch & Strike



Satin Nickel (also available in black & oil rubbed bronze)

Edge Door Pull



Satin Nickel

Stops

Heavy Duty Spring Stop



Bright Chrome (Also available in satin nickel, black & oil rubbed bronze)



Modern Profile Stop

Satin Nickel (Also available in oil rubbed bronze)



Satin Nickel (Also available in black & oil rubbed bronze)

Concave Wall Stop



Stainless Steel (Also available in black & oil rubbed bronze)

Goose Neck Floor Stop



Black (Also available in satin nickel & oil rubbed bronze)

Pocket Locks

Available in Privacy & Passage functions.

Privacy Lock



Oil Rubbed Bronze (Also available in satin nickel, black & bright chrome)

Passage Lock



Satin Nickel (Also available in black, oil rubbed bronze & bright chrome)

Aluminum Pocket or Heavy Duty Bifold Track

(For 1" to 1-3/4" doors weighing up to 200lbs each)



800 Series Track Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 10/0, 12/0, 16/0)

Pocket or Heavy Duty Bifold Hardware



120 Pocket Hardware Bag 2 Wheel Rollers

(For doors up to 100lbs, 1 bag per door)



















350 2 Door Heavy Duty Bifold Hardware Bag 4 Wheel Roller





HARDWARE AVAILABILITY GUIDE

Aluminum Heavy Duty Bypass Track

(For 1" to 1-3/8" doors weighing up to 200lbs each)



2300 Series Track Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 12/0)

Heavy Duty Bypass Hardware



230 Heavy Duty Bypass Hardware Bag 2 Wheel Rollers

(For doors up to 100lbs, 1 bag per 2 doors)

230 Heavy Duty Bypass Hardware Bag 4 Wheel Rollers

(For doors up to 150lbs, 1 bag per 2 doors)





802 Heavy Duty Roller Hanger

(Adding a third 4 wheel roller per door will increase weight capacity up

Please contact your representative to confirm availability

LEGEND

= IN STOCK

= IN STOCK 20 MIN FIRE RATED

Primed Panel Doors & Bi-Folds	Door Widths											Bi-Fold Widths (6/7 Height)			
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0		
OV22	•	•	•	•	•	•	•	•	•	•	•	•	•		
8401	•	•	•	•	•	•	•	•	•	•	•	•	•		
8402	•	•	•	•	•	•	•	•	•	•	•	•	•		
8403	•	•	•	•	•	•	•	•	•	•	•	•	•		
8433	•	•	•	•	•	•	•	•	•	•	•	•	•		
8444	•	•	•	•	•	•	•	•	•	•	•	•	•		
8405	•	•	•	•	•	•	•	•	•	•	•	•	•		
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/		
8401				•	•	•	•	•	•	•					
8402				•	•	•	•	•	•	•					
8403				•	•	•	•	•	•	•					
8433				•	•	•	•	•	•	•					
8405				•	•	•	•	•	•	•					
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/		
OV22	•			•	•	•	•	•	•	•	•	•	•		
8401	•			•	•	•	•	•	•	•	•	•	•		
8402	•			•	•	•	•	•	•	•	•	•	•		
8403	•			•	•	•	•	•	•	•	•	•	•		
8433	•			•	•	•	•	•	•	•	•	•	•		
8444	•			•	•	•	•	•	•	•	•	•	•		
8405	•			•	•	•	•	•	•	•	•	•	•		
6/8 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/		
8401				•	•	•	• •	• •	• •	• •					
8402				•	•	•	• •	• •	• •	• •					
8403							•	•		•					
8433				•	•	•	• •	• •	•	• •					
8444							•	•		•					
8405				•	•	•	• •	• •	•	• •					
7/0 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/		
8401								•	•	•					
8402								•	•	•					
8403								•	•	•					
8433								•	•	•					
8405								•	•	•					

32 | BHI DOORS INTERIOR COLLECTION | 33

AVAILABILITY GUIDE AVAILABILITY GUIDE

Please contact your representative to confirm availability

LEGEND

• = IN STOCK

= IN STOCK 20 MIN FIRE RATED

Primed Panel Doors & Bi-Folds					Door \	Widths						old Wi 7 Heig	
8/0 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401				•	•	•	• •	• •	• •	• •			
8402				•	•	•	• •	• •	• •	• •			
8403							•	•	•	•			
8433				•	•	•	• •	• •	• •	• •			
8444							•	•		•			
8405				•	•	•	• •	• •	• •	• •			
Louver Doors & Bi-Folds		Door Widths											dths ht)
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730	•			•	•	•	•	•	•	•	•	•	•
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730				•		•	•	•	•	•			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730	•			•	•	•	•	•		•	•	•	•
Primed Direct Glazed Doors	Door Widths								Glass Type				
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	Clear	Di V	ffused Vhite
8401	•			•	•	•	•	•	•	•	•		•
8433	•			•		•	•	•	•	•	•		•
8405	•			•		•	•	•	•	•	•		•
1401				•			•				•		
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	Clear	Di	ffused Vhite
8401	•			•	•	•	•	•	•	•	•		•
8433	•			•		•	•	•	•	•	•		•
8405	•			•		•	•	•	•	•	•		•
1401				•			•				•		
Full Lite Glazed Doors			Do	oor Wid	dths (15	01 & 86	01 Mod	lel)					
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0			
Pantry	•			•	•	•	•	•	•	•			
Laundry	•			•	•	•	•	•	•	•			
Patter	•			•	•	•	•	•	•	•			
Steam	•			•	•	•	•	•	•	•			
Corduroy	•			•	•	•	•	•	•	•			

Please contact your representative to confirm availability

LEGEND

• = IN STOCK

= IN STOCK 20 MIN FIRE RATED

Full Lite Glazed Doors		Door Widths (1501 & 8601 Model)										
7/0 Height 1-3/8" Thick		1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	
		1/0	1/0	1/10		2/2				2/10		۳
Pantry					•		•	•	•		•	-
Laundry					•		•	•	•		•	\perp
Patter					•		•	•	•		•	-
Steam Corduroy					•			•	•		•	+
Full Lite												
Glazed Doors			Door Widths (1501 & 8601 Model)									
8/0 Height 1-3/8" Thick		1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	
Pantry					•		•	•	•		•	
Laundry					•		•	•	•		•	
Patter					•		•	•	•		•	
Steam					•		•	•	•		•	
Corduroy					•		•	•	•		•	
Woodbar Glazed Doo Clear Glass	or				Do	or Widths	(1300 9	Series)				
6/8 Height 1-3/8" Thick		1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	
1310 10 Lite	П				•		•	•	•		•	7
1315 15 Lite					•		•	•	•		•	
8/0 Height 1-3/8" Thick		1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	
1312 12 Lite	\neg				•		•	•	•		•	
1318 18 Lite					•		•	•	•		•	
Barn Doors		Doo	r Width	าร		Barn	Doors		Door Widths			
7/0-8/0 Height 1-3/8" Thick	3'0"x 7'0"	3'6"> 7'0"				'0-8/0 Heigl	nt 1-3/8"	Thick	3'0"x 7'0"	3'6"x 7'0"	4'0"x 7'0"	3'd 8'
SKA8401B Knotty Alder	•	•	•			PRI8401	B Prime	ed	•	•	•	
SKA8401BZ Knotty Alder	•	•	•	•		PRI8401BZ Primed			•	•	•	
SKA8402BK Knotty Alder	•	•	•			PRI8402E	3K Prim	ed	•	•	•	

34 | BHI DOORS INTERIOR COLLECTION | 35



BHDOORS SINCE 1963 www.bhiflorida.com