

BHI Doors

SINCE 1963



2025 INTERIOR COLLECTION

www.bhiflorida.com



Since 1963, BHI has been opening doors for Florida's residential builders and re-modelers. After years of growing in industry product knowledge and assembling an impressive selection of best-in-class components, BHI expanded to manufacture our own unique pre-hung exterior door system. That system was specifically built to withstand the tests of time in Florida's often unforgiving climate. Since then, our dealers have become accustomed to this enduring quality as well as our excellent service.

Several years ago we expanded our product offering to cover the inside of Florida's homes with our interior stile & rail door slabs and systems.

Our interior door collection is focused on the simple premise of crafting doors for the design needs of our diverse customers. It has something for every architectural space and style.

| | | | |
|---|--------------|--|--------------|
| Interior Door Introduction..... | 4 | Barn Doors | 23-24 |
| Design Ideas | 5-9 | Barn Doors Hardware..... | 25 |
| Panel Doors Introduction..... | 10 | System Options & Hardware | 26 |
| Primed Panel Doors..... | 11-17 | 20-Minute Fire Rated Options..... | 27 |
| Primed Louver Doors | 18 | Standard Options..... | 28 |
| Glazed Doors Introduction..... | 19 | Hardware | 29-32 |
| Primed Direct Glazed Doors | 20 | Availability Guide | 33-35 |
| Primed Glazed Doors | 21-22 | | |



Primed 8402BK

INTERIOR DOOR INTRODUCTION

We offer high quality stile and rail doors that will complement any home design.

Our stocking program includes an extensive selection of shaker panel, louver, and barn doors. We have them ready for you when you need them.

Let us help you create an interior look that reflects your unique taste. Now it's your time to choose.



Primed 8401 Shaker



COASTAL

The Coastal home style is relaxing, light, and breezy. Its open design and lighter tones mirror the natural beauty of the shoreline.



8401
1-Panel



8401B
Barn Door



8401BF
1-Panel Bifold



8730
Louver Door



8403
3-Panel



1501PAT
Patter
Glazed Ovolo



8433CL
Clear 3-Lite Direct
Glazed



8401BK
Barn Door



1310
Clear 10-Lite
Glazed Ovolo



CONTEMPORARY

Contemporary homes reflect the architecture and design of today. They represent sharp design and clean curb appeal.



8433
3-Equal Panel



8433GL
White Lami 3-Lite
Direct Glazed



8401GL
White Lami Direct
Glazed




8444
4-Panel



8444BF
4-Panel Bifold



8401CL
Clear Direct
Glazed



8405
5-Panel



8405BF
5-Panel Bifold




8405GL
White Lami
5-Lite Direct
Glazed



CRAFTSMAN


Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic.





CLASSIC

Classic homes are comforting and familiar. Their interiors are calm, orderly and consistent.



OV22
2-Panel Ovolo



OV22BF
2-Panel Bifold



1501PAN
Pantry Glazed
Ovolo



8730
Louver Door



8730BF
Louver Bifold



1315
Clear 15-Lite
Ovolo Glazed



8402
2-Panel



8402BF
2-Panel Bifold



1501LAU
Laundry Ovolo
Glazed



CARIBBEAN

The Caribbean design combines aspects of Mediterranean, Spanish, and many other tropical architectural styles. Rustic textures compliment vivid color schemes in an inspiring mix of old world charm and casual playfulness.



8730BF
Louver Bifold



8401BF
Barn Door




OV22
2-Panel Ovolo



8401BZ
Barn Door



1310
Clear 10-Lite
Ovolo



8401BK
Barn Door



1401CL
Clear Ovolo
Direct Glazed



8730
Louver Door



1501PAT
Patter Ovolo
Glazed

PRIMED PANEL DOOR INTRODUCTION

Get the beautiful interior doors you need at the right time and cost with our interior stocking program. We carry many designs and sizes to meet the varying needs and tastes in our market.

Our Ovolo bead door offers traditional styling while our shaker door has a clean-cut, contemporary look. Glazed versions are also available (see pg 19).



Ovolo Panel



Shaker Panel

Primed 8403

Ovolo Raised 2-Panel: OV22

With raised panels and beautiful embossed stop, our ovolo bead panel door options have a comforting and timeless design that compliments a wide range of aesthetics.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0



Available in 6/8 & 8/0


See chart on page 33-34 for availability

PRIMED PANEL DOORS

Shaker 1-Panel: 8401

Sometimes, simple is best! This design will add clean, subtle details to your home's interior look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 33-34 for availability

Shaker 2-Panel: 8402

Our new take on a classic design, we have updated this timeless look with clean cut edges and flat panels.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0


See chart on page 33-34 for availability

PRIMED PANEL DOORS

Shaker Craftsman 3-Panel: 8403

Keep the hand-worked touches flowing through the interior of your home with this unique design.

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Available in 6/8, 7/0 & 8/0




Available in 6/8 & 8/0

See chart on page 33-34 for availability

Shaker Equal 3-Panel: 8433

Our most subtle version of the contemporary multi-paneled look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

PRIMED PANEL DOORS

Shaker 4-Panel: 8444

This sharp, trendy look is sure to impress!

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Available in 6/8 & 8/0



Available in 6/8 & 8/0

See chart on page 33-34 for availability

Shaker 5-Panel: 8405

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

PRIMED LOUVER DOORS

Louver 2-Panel: 8730

BHI's primed louver doors and bifolds increase ventilation and promote air flow.

Our 3-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness only.



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 34 for availability

PRIMED GLAZED DOOR INTRODUCTION

Our stocking program has an array of glazed door options to complement your unique architectural style.

Both direct glazed and standard glazed options are available, both with our traditional Ovolo bead or with the more modern Shaker look.

Clear & diffused white lami glass comes in multiple lite configurations and we have exciting full lite printed glass options as well.

3'0" x 6'8" 1310 Primed French Door With Clear 10-Lite Glass

PRIVACY GUIDE

BHI Doors offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. **Note:** This guide is subjective. It should only be used when comparing our glass designs.

PRIVACY

1

2

3

4

5

6

7

8

9

10

Completely Clear

Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

Completely Opaque

Only light will travel through from the opposite side.

PRIMED DIRECT GLAZED DOORS

Direct Glazed Options:

These come in 6/8 & 8/0 heights at 1-3/8" thickness.

Shaker style comes in clear or diffused white lami while Ovolo style comes only in clear.



Clear Safety Glass (CL)
PRIVACY 1



DWL Safety Glass (GL)
PRIVACY 10



8405GL Primed DWL Shaker



8401
Shaker



8433
Shaker



8405
Shaker



1401CL
Ovolo

See chart on page 34 for availability

Ovolo & Quirk Bead Options:

BHI has a great selection of full lite printed glass designs that can come with the Ovolo or Quirk bead. All designs come on safety glass.



Ovolo Bead



Quirk Bead



Pantry
PRIVACY 7



Laundry
PRIVACY 7



Patter
PRIVACY 9



Steam
PRIVACY 7



Corduroy
PRIVACY 7

PRIMED GLAZED DOORS

Ovolo Woodbar Clear

We keep it classic by applying Ovolo beaded woodbars over clear safety glass, for a fantastic french door feel.

These come in 6/8 & 8/0 heights at 1-3/8" thickness.



Ovolo Bead



1310 6/8



1315 6/8



1312 8/0



1318 8/0

See chart on page 35 for availability

BHI offers an attractive selection of rustic style barn doors in both standard and oversized widths. These come with a routed groove to complement our barn door track. Select yours today.

Knotty Alder: SKA8400 Series



SKA8401B



SKA8401BZ



SKA8402BK

Primed: PRI8400 Series



PRI8401B



PRI8401BZ



PRI8402BK



3'6" x 7'0" Knotty Alder 8402BK
With Rustic Track.

See chart on page 35 for availability

BARN DOOR HARDWARE

We offer several hardware options in matte black, satin nickel, and brushed stainless steel. There are two styles of barn door track: rustic and contemporary. Our rustic track comes with a bent strap hanger. BHI also offers a contemporary track with a top mount roller. Our hardware is tested to handle doors up to 225 pounds and comes in two sizes, 84" and 96". Select your track and pair it with the perfect handle and pull.

Rustic Track + Hardware



Matte Black



Brushed Stainless Steel

Contemporary Track + Hardware



Matte Black



Brushed Stainless Steel



3'6" x 7'0" Primed 8401BZ With Rustic Track.

Contemporary Bar Pulls



Available lengths 12" & 24"
in both Stain Nickel & Matte Black.
(Matches Stainless Steel Track)

6½" Rectangular Flush Pulls



Matte Black



Brushed Stainless Steel

6½" Rustic Handles



Matte Black



Brushed Stainless Steel

Soft Close Hardware



Matte Black



Brushed Stainless Steel

12" Handle & Flush Pull Kits



Matte Black



Brushed Stainless Steel

Other parts and accessories are stocked in both stainless steel & matte black finishes, talk to your rep for more details.

The task of choosing the right interior door is only complete once you've selected the right hardware and components to accompany it.

BHI is committed to providing you best-in-class products to hang, operate, and secure your interior door- all in styles and finishes to meet your specific design aesthetic.



Primed 8433 Shaker

4"x4" 5/8" Radius Hinge Finishes



Satin Nickel
(Plain bearing only)



Black
(Ball bearing only)




Oil Rubbed Bronze
(Ball bearing only)

All 20-minute doors come with 2 spring hinges to match the finishes above.

Sill Options


QOSR

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket




QOSH

- High performance seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket




ISCS

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



ISW


- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



Sill Finishes



Mill Finish



Black Finish



Bronze Finish

Jamb




Primed Single Rabbet Jamb
(4-9/16", 5-1/4" 6-9/16", 7-1/4")

STANDARD OPTIONS

3-1/2" or 4" 5/8" Radius Hinge Finishes



Satin Nickel
(4x4 plain bearing only)



Black
(4x4 ball bearing only)



Oil Rubbed Bronze
(4x4 ball bearing only)



Satin Brass
(4x4 plain bearing only)

Flush Bolts

7" Flush Bolts (6/8, 7/0)



Satin Nickel
(Also available in black & oil rubbed bronze)

16" Flush Bolts (8/0)



Oil Rubbed Bronze
(Also available in satin nickel & black)

Astragals & Jambs



Composite Astragal
(Available for 1-3/8" or 1-3/4" doors)



Combo Jamb
For use with 1-3/8" or 1-3/4" door
(Available in 4-9/16" & 4-7/8" widths)

Ball Catch & Strike



Satin Nickel
(Also available in black & oil rubbed bronze)

For additional jamb width options, BHI offers a Flat Jamb in 6-9/16" width which can be paired with our 1-1/4" Stop

Leversets & Knobsets

We have a wide variety of lever and knob designs in various grades and functions- so you're sure to find what you need for your home's exterior or interior! We even offer multiple rose options to help your doorways really stand out.



SIERRA KNOB



KODA LEVER



NAPLES LEVER (HANDED)



BARON KNOB



MIRA LEVER



KONA KNOB ROUND



ONYX LEVER



KONA KNOB SQUARE

Privacy Latch

**Matte Black**

(also available in satin chrome & oil rubbed bronze)

Drive In Finger Pull

**Satin Nickel**

(also available in black & oil rubbed bronze)

Roller Catch & Strike

**Satin Nickel**

(also available in black & oil rubbed bronze)

Edge Door Pull

**Satin Nickel**

Stops

Heavy Duty Spring Stop



Bright Chrome
(Also available in satin nickel, black & oil rubbed bronze)

Modern Profile Stop



Satin Nickel
(Also available in oil rubbed bronze)

Hinge Pin Stop



Satin Nickel
(Also available in black & oil rubbed bronze)

Concave Wall Stop



Stainless Steel
(Also available in black & oil rubbed bronze)

Goose Neck Floor Stop



Black
(Also available in satin nickel & oil rubbed bronze)

Pocket Locks

Available in Privacy & Passage functions.

Privacy Lock



Oil Rubbed Bronze
(Also available in satin nickel, black & bright chrome)

Passage Lock



Satin Nickel
(Also available in black, oil rubbed bronze & bright chrome)

Aluminum Pocket or Heavy Duty Bifold Track

(For 1" to 1-3/4" doors weighing up to 200lbs each)



800 Series Track

Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 10/0, 12/0, 16/0)

Pocket or Heavy Duty Bifold Hardware



120 Pocket Hardware Bag

2 Wheel Rollers

(For doors up to 100lbs, 1 bag per door)

508 Pocket Hardware Bag

4 Wheel Rollers

(For doors up to 150lbs, 1 bag per door)

(For doors up to 200lbs, 1 1/2 bags per door)



350 2 Door Heavy Duty Bifold Hardware Bag

4 Wheel Roller

350 4 Door Heavy Duty Bifold Hardware Bag

4 Wheel Rollers



Aluminum Heavy Duty Bypass Track

(For 1" to 1-3/8" doors weighing up to 200lbs each)



2300 Series Track

Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 12/0)

Heavy Duty Bypass Hardware



230 Heavy Duty Bypass Hardware Bag
2 Wheel Rollers

(For doors up to 100lbs, 1 bag per 2 doors)

230 Heavy Duty Bypass Hardware Bag
4 Wheel Rollers

(For doors up to 150lbs, 1 bag per 2 doors)



802 Heavy Duty Roller Hanger

(Adding a third 4 wheel roller per door will increase weight capacity up to 200lbs)

AVAILABILITY GUIDE

Please contact your representative to confirm availability

LEGEND

• = IN STOCK

• = IN STOCK 20 MIN FIRE RATED

| Primed Panel Doors & Bi-Folds | Door Widths | | | | | | | | | | Bi-Fold Widths (6/7 Height) | | |
|-------------------------------|-------------|-----|------|-----|-----|-----|-----|-----|------|-----|-----------------------------|-----|-----|
| 6/8 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| OV22 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8401 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8402 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8403 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8433 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8444 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 8405 | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 7/0 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8401 | | | | • | • | • | • | • | • | • | | | |
| 8402 | | | | • | • | • | • | • | • | • | | | |
| 8403 | | | | • | • | • | • | • | • | • | | | |
| 8433 | | | | • | • | • | • | • | • | • | | | |
| 8405 | | | | • | • | • | • | • | • | • | | | |
| 8/0 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| OV22 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8401 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8402 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8403 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8433 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8444 | • | | | • | • | • | • | • | • | • | • | • | • |
| 8405 | • | | | • | • | • | • | • | • | • | • | • | • |
| 6/8 Height 1-3/4" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8401 | | | | • | • | • | • • | • • | • • | • • | | | |
| 8402 | | | | • | • | • | • • | • • | • • | • • | | | |
| 8403 | | | | | | | • | • | | • | | | |
| 8433 | | | | • | • | • | • • | • • | • | • • | | | |
| 8444 | | | | | | | • | • | | • | | | |
| 8405 | | | | • | • | • | • • | • • | • | • • | | | |
| 7/0 Height 1-3/4" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8401 | | | | | | | | • | • | • | | | |
| 8402 | | | | | | | | • | • | • | | | |
| 8403 | | | | | | | | • | • | • | | | |
| 8433 | | | | | | | | • | • | • | | | |
| 8405 | | | | | | | | • | • | • | | | |

AVAILABILITY GUIDE

Please contact your representative to confirm availability

LEGEND

● = IN STOCK

● = IN STOCK 20 MIN FIRE RATED

| Primed Panel Doors & Bi-Folds | Door Widths | | | | | | | | | | Bi-Fold Widths (6/7 Height) | | |
|-------------------------------|---------------------------------|-----|------|-----|-----|-----|-----|-----|------|-----|-----------------------------|----------------|-----|
| 8/0 Height 1-3/4" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8401 | | | | ● | ● | ● | ●● | ●● | ●● | ●● | | | |
| 8402 | | | | ● | ● | ● | ●● | ●● | ●● | ●● | | | |
| 8403 | | | | | | | ● | ● | ● | ● | | | |
| 8433 | | | | ● | ● | ● | ●● | ●● | ●● | ●● | | | |
| 8444 | | | | | | | ● | ● | | ● | | | |
| 8405 | | | | ● | ● | ● | ●● | ●● | ●● | ●● | | | |
| Louver Doors & Bi-Folds | Door Widths | | | | | | | | | | Bi-Fold Widths (6/7 Height) | | |
| 6/8 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8730 | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 7/0 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8730 | | | | ● | | ● | ● | ● | ● | ● | | | |
| 8/0 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 2/0 | 2/6 | 3/0 |
| 8730 | ● | | | ● | ● | ● | ● | ● | | ● | ● | ● | ● |
| Primed Direct Glazed Doors | Door Widths | | | | | | | | | | Glass Type | | |
| 6/8 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | Clear | Diffused White | |
| 8401 | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 8433 | ● | | | ● | | ● | ● | ● | ● | ● | ● | ● | |
| 8405 | ● | | | ● | | ● | ● | ● | ● | ● | ● | ● | |
| 1401 | | | | ● | | | ● | | | | ● | | |
| 8/0 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | Clear | Diffused White | |
| 8401 | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 8433 | ● | | | ● | | ● | ● | ● | ● | ● | ● | ● | |
| 8405 | ● | | | ● | | ● | ● | ● | ● | ● | ● | ● | |
| 1401 | | | | ● | | | ● | | | | ● | | |
| Full Lite Glazed Doors | Door Widths (1501 & 8601 Model) | | | | | | | | | | | | |
| 6/8 Height 1-3/8" Thick | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | | | |
| Pantry | ● | | | ● | ● | ● | ● | ● | ● | ● | | | |
| Laundry | ● | | | ● | ● | ● | ● | ● | ● | ● | | | |
| Patter | ● | | | ● | ● | ● | ● | ● | ● | ● | | | |
| Steam | ● | | | ● | ● | ● | ● | ● | ● | ● | | | |
| Corduroy | ● | | | ● | ● | ● | ● | ● | ● | ● | | | |

Please contact your representative to confirm availability

LEGEND

• = IN STOCK

• = IN STOCK 20 MIN FIRE RATED

| Full Lite Glazed Doors | | Door Widths (1501 & 8601 Model) | | | | | | | | | | |
|------------------------------------|--|---------------------------------|---------------|---------------|---------------|-----------------------------|-----|-----|---------------|---------------|---------------|---------------|
| 7/0 Height 1-3/8" Thick | | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| Pantry | | | | | • | | • | • | • | | • | |
| Laundry | | | | | • | | • | • | • | | • | |
| Patter | | | | | • | | • | • | • | | • | |
| Steam | | | | | • | | • | • | • | | • | |
| Corduroy | | | | | • | | • | • | • | | • | |
| Full Lite Glazed Doors | | Door Widths (1501 & 8601 Model) | | | | | | | | | | |
| 8/0 Height 1-3/8" Thick | | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| Pantry | | | | | • | | • | • | • | | • | |
| Laundry | | | | | • | | • | • | • | | • | |
| Patter | | | | | • | | • | • | • | | • | |
| Steam | | | | | • | | • | • | • | | • | |
| Corduroy | | | | | • | | • | • | • | | • | |
| Woodbar Glazed Door Clear Glass | | Door Widths (1300 Series) | | | | | | | | | | |
| 6/8 Height 1-3/8" Thick | | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| 1310 10 Lite | | | | | • | | • | • | • | | • | |
| 1315 15 Lite | | | | | • | | • | • | • | | • | |
| 8/0 Height 1-3/8" Thick | | 1/6 | 1/8 | 1/10 | 2/0 | 2/2 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| 1312 12 Lite | | | | | • | | • | • | • | | • | |
| 1318 18 Lite | | | | | • | | • | • | • | | • | |
| Barn Doors | | Door Widths | | | | Barn Doors | | | Door Widths | | | |
| 7/0-8/0 Height 1-3/8" Thick | | 3'0"x 7'0" | 3'6"x 7'0" | 4'0"x 7'0" | 3'6"x 8'0" | 7/0-8/0 Height 1-3/8" Thick | | | 3'0"x 7'0" | 3'6"x 7'0" | 4'0"x 7'0" | 3'6"x 8'0" |
| SKA8401B Knotty Alder | | • | • | • | | PRI8401B Primed | | | • | • | • | |
| SKA8401BZ Knotty Alder | | • | • | • | • | PRI8401BZ Primed | | | • | • | • | • |
| SKA8402BK Knotty Alder | | • | • | • | | PRI8402BK Primed | | | • | • | • | |



BHIDoors
SINCE 1963
www.bhiflorida.com