
# BHIDoors SINCE 1963



# **2026 INTERIOR COLLECTION**


www.bhiflorida.com

#### **OUR STORY**



# TABLE OF CONTENTS

Interior Door Introduction4	Primed Glazed Doors24
Design Ideas 5-9	System Options & Hardware 25
Panel Doors Introduction10	20-Minute Fire Rated Options
Primed Panel Doors11-19	Standard Options27
Primed Louver Doors20-21	<b>Hardware</b>
Glazed Doors Introduction22	Availability Guide
Primed Direct Glazed Doors23	







# Coastal | DESIGN IDEAS




The Coastal home style is relaxing, light, and breezy. Its open design and lighter tones mirror the natural beauty of the shoreline.



# DESIGN IDEAS | Contemporary




Contemporary homes reflect the architecture and design of today. They represent sharp design and clean curb appeal.




# Craftsman | DESIGN IDEAS



Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic.



# DESIGN IDEAS | Classic




Classic homes are comforting and familiar. Their interiors are calm, orderly and consistent.




# Caribbean | DESIGN IDEAS



The Caribbean design combines aspects of Mediterranean, Spanish, and many other tropical architectural styles. Rustic textures compliment vivid color schemes in an inspiring mix of old world charm and casual playfulness.



#### PRIMED PANEL DOOR INTRODUCTION





# Ovolo Raised 2-Panel: OV22

With raised panels and beautiful embossed stop, our ovolo bead panel door options have a comforting and timeless design that compliments a wide range of aesthetics.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0




Available in 6/8 & 8/0


#### PRIMED PANEL DOORS

#### Shaker 1-Panel: 8401


Sometimes, simple is best! This design will add clean, subtle details to your home's interior look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).









Available in 6/8 & 8/0



#### Shaker 2-Panel: 8402

Our new take on a classic design, we have updated this timeless look with clean cut edges and flat panels.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

#### PRIMED PANEL DOORS

# Shaker Craftsman 3-Panel: 8403

Keep the hand-worked touches flowing through the interior of your home with this unique design.

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".











Available in 6/8 & 8/0



# Shaker Equal 3-Panel: 8433

Our most subtle version of the contemporary multi-paneled look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

#### PRIMED PANEL DOORS

#### Shaker 4-Panel: 8444

This sharp, trendy look is sure to impress!

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".









Available in 6/8 & 8/0

#### PRIMED PANEL DOORS



#### Shaker 5-Panel: 8405

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

#### **NEW PRIMED SHAKER DOORS**

#### Shaker 45 1-Panel: 1801

This sharp, trendy look is sure to impress!

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".









Available in 6/8 & 8/0

#### **NEW PRIMED SHAKER DOORS**



#### Shaker 45 2-Panel: 1802

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8 & 8/0



Available in 6/8 & 8/0

#### PRIMED LOUVER DOORS

### Large Slat Louver 2-Panel: 8730

BHI's primed louver doors and bifolds increase ventilation and promote air flow.

Our 3-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness.










Available in 6/8 & 8/0

#### **NEW PRIMED LOUVER DOORS**



# Standard Slat Louver 2-Panel: 8830

BHI's primed louver doors and bifolds increase ventilation and promote air flow.

Our 1-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness.




Available in 6/8 & 8/0



Available in 6/8 & 8/0

#### PRIMED GLAZED DOOR INTRODUCTION



#### **PRIVACY GUIDE**

BHI Doors offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. **Note:** This guide is subjective. It should only be used when comparing our glass designs.

# PRIVACY 1

Objects can be clearly seen through the glass from the opposite side.

**Completely Clear** 

#### Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

#### **Completely Opaque**

Only light will travel through from the opposite side.

#### PRIMED DIRECT GLAZED DOORS

# Direct Glazed Options:

These come in 6/8 & 8/0 heights at 1-3/8" thickness.

Shaker style comes in clear or diffused white lami while Ovolo style comes only in clear.



Clear Safety Glass (CL) PRIVACY 1



DWL Safety Glass (GL) PRIVACY 100











Ovolo (Clear glass only)

#### PRIMED GLAZED DOORS



### Ovolo Woodbar Clear

We keep it classic by applying Ovolo beaded woodbars over clear safety glass, for a fantastic french door feel.

These come in 6/8 & 8/0 heights at 1-3/8" thickness.



Ovolo Bead



1315 6/8





See chart on page 32-35 for availability



#### 20-MINUTE FIRE RATED OPTIONS

### 4"x4" 5/8" Radius Hinge Finishes







20-minute units come with at least two of their bearing hinges upgraded to spring.

#### Sill Options

#### **QOSR**

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket


#### QOSH

- High performance seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket



#### **ISCS**

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



#### **ISW**

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



# Sill Finishes



Mill Finish



Black Finish



Bronze Finish

#### Jamb



Primed Composite Jamb (4-9/16", 5-1/4" 6-9/16", 7-1/4")

#### 3-1/2" or 4" 5/8" Radius Hinge Finishes



Satin Nickel (4x4 plain bearing only)



Black (4x4 ball bearing only)



Oil Rubbed Bronze (4x4 ball bearing only)



Satin Brass (4x4 plain bearing only)

6/8 height units come with three standard bearing hinges, 7/0 and 8/0 heights come with four. If the slab is 1-3/8" thick, the hinges are 3.5", while units with 1-3/4" slabs have 4" hinges.

#### Flush Bolts

7" Flush Bolts (6/8, 7/0)



Satin Nickel (Also available in black & oil rubbed bronze)

16" Flush Bolts (8/0)



Oil Rubbed Bronze (Also available in satin nickel & black)

#### Ball Catch & Strike



Satin Nickel (Also available in black & oil rubbed bronze)

#### Astragals & Jambs



Composite Astragal (Available for 1-3/8" or 1-3/4" doors)



Primed Combo Jamb For use with 1-3/8" or 1-3/4" door (Available in 4-9/16" & 5-1/4" widths)

For additional jamb width options, BHI offers a Flat Jamb in 6-9/16" width which can be paired with our 1-1/4" Stop.

#### Leversets & Knobsets

We have a wide variety of lever and knob designs in various grades and functions- so you're sure to find what you need for your home's exterior or interior! We even offer multiple rose options to help your doorways really stand out.



SIERRA KNOB



**KODA LEVER** 



NAPLES LEVER (HANDED)



BARON KNOB



MIRA LEVER



KONA KNOB ROUND



ONYX LEVER



KONA KNOB SQUARE

#### Stops

Heavy Duty Spring Stop



Satin Nickel

Modern Profile Stop



Satin Nickel

Hinge Pin Stop



Satin Nickel (Also available in black)

Concave Wall Stop



Stainless Steel (Also available in black)

#### Roller Catch & Strike



Satin Nickel (Also available in black & oil rubbed bronze)

#### Drive In Finger Pull



Satin Nickel (Also available in black)

#### **Pocket Locks**

Available in Privacy & Passage functions.

Privacy Lock



**Bright Chrome** (Also available in satin nickel & black)

Passage Lock



Satin Nickel (Also available in black & bright chrome)

#### Aluminum Pocket or Heavy Duty Bifold Track

(For 1" to 1-3/4" doors weighing up to 200lbs each)



800 Series Track Mill Finish (Available in the following widths: 4/0, 5/0, 6/0, 8/0, 10/0, 12/0, 16/0)

#### Pocket or Heavy Duty Bifold Hardware



120 Pocket Hardware Bag 2 Wheel Rollers (For doors up to 100lbs, 1 bag per door)

#### 508 Pocket Hardware Bag 4 Wheel Rollers (For doors up to 150lbs, 1 bag per door) (For doors up to 200lbs, 1 ½ bags per door)





350 2 Door Heavy Duty Bifold Hardware Bag 4 Wheel Roller

350 4 Door Heavy Duty Bifold Hardware Bag 4 Wheel Rollers



### Aluminum Heavy Duty Bypass Track

(For 1" to 1-3/8" doors weighing up to 200lbs each)



#### 2300 Series Track Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 12/0)

#### Heavy Duty Bypass Hardware



#### 230 Heavy Duty Bypass Hardware Bag 2 Wheel Rollers

(For doors up to 100lbs, 1 bag per 2 doors)

#### 230 Heavy Duty Bypass Hardware Bag 4 Wheel Rollers

(For doors up to 150lbs, 1 bag per 2 doors)





#### 802 Heavy Duty Roller Hanger

(Adding a third 4 wheel roller per door will increase weight capacity up to 200lbs)

# AVAILABILITY GUIDE

Please contact your representative to confirm availability.

**LEGEND** 

1-3/8" Primed Panel Doors & Bi-Folds		Door Widths											Bi-Fold Widths (6/7 Height)			
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0			
OV22 Ovolo 2-Panel	•	0	0	•	0	•	•	•	0	•	•	•	•			
8401 Shaker 1-Panel	•	•	•	•	•	•	•	•	•	•	•	•	•			
8402 Shaker 2-Panel	•	•	•	•	•	•	•	•	•	•	•	•	•			
8403 Shaker Craftsman	•	•	0	•	0	•	•	•	•	•	•	•	•			
8433 Shaker 3-Panel	•	•	•	•	•	•	•	•	•	•	•	•	•			
8444 Shaker 4-Panel	•	•	0	•	0	•	•	•	•	•	•	•	•			
8405 Shaker 5-Panel	•	•	•	•	•	•	•	•	•	•	•	•	•			
1801 Shaker 45 1-Panel	•			•		•	•	•	•	•	•	•	•			
1802 Shaker 45 2-Panel	•			•		•	•	•	•	•	•	•	•			
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0			
8401 Shaker 1-Panel				•	0	•	•	•	•	•						
8402 Shaker 2-Panel				•	•	•	•	•	•	•						
8403 Shaker Craftsman				0	0	0	0	0	0	•						
8433 Shaker 3-Panel				•	0	•	•	•	•	•						
8405 Shaker 5-Panel				0	0	•	•	•	•	•						
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0			
OV22 Ovolo 2-Panel	•			•	0	•	•	•	0	•	0	•	0			
8401 Shaker 1-Panel	•			•	0	•	•	•	•	•	•	•	•			
8402 Shaker 2-Panel	•			•	•	•	•	•	•	•	•	•	•			
8403 Shaker Craftsman	•			•	0	•	•	•	0	•	•	•	0			
8433 Shaker 3-Panel	•			•	0	•	•	•	•	•	•	•	•			
8444 Shaker 4-Panel	•			•	0	•	•	•	•	•	•	0	•			
8405 Shaker 5-Panel	•			•	0	•	•	•	•	•	•	•	•			
1801 Shaker 45 1-Panel	•			•		•	•	•	•	•	•	•	•			
1802 Shaker 45 2-Panel	•			•		•	•	•	•	•	•	•	•			

Please contact your representative to confirm availability.

LEGEND

1-3/4" Primed Panel Doors & Bi-Folds		Door Widths											dths ht)
6/8 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Shaker 1-Panel				•	0	•	•	•	•	•			
8401 Fire Rated							•	•	0	•			
8402 Shaker 2-Panel				•	0	•	•	•	0	•			
8402 Fire Rated							•	•	0	•			
8403 Fire Rated							•	•		•			
8433 Shaker 3-Panel				•	0	•	•	•	•	•			
8433 Fire Rated							•	•		•			
8444 Fire Rated							•	•		•			
8405 Shaker 5-Panel				0	0	•	•	•	0	•			
8405 Shaker Rated							0	•		•			
1801 Shaker 45 Fire Rated							•	•	•	•			
1802 Shaker 45 Fire Rated							•	•	•	•			
7/0 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Shaker 1-Panel				0									
8401 Fire Rated								•	0	•			
8402 Fire Rated								•	0	•			
8403 Fire Rated								0	0	0			
8433 Fire Rated								0	0	0			
8405 Fire Rated								0	0	•			
8/0 Height 1-3/4" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Shaker 1-Panel				•	0	•	•	•	•	•			
8401 Fire Rated							•	•	0	•			
8402 Shaker 2-Panel				•	•	•	•	•	•	•			
8402 Fire Rated							•	•	0	•			
8403 Fire Rated							0	•	0	•			
8433 Shaker Craftsman				•	0	•	•	•	•	•			
8433 Fire Rated							•	•	0	•			
8444 Fire Rated							0	•		•			
8405 Shaker 5-Panel				•	0	•	•	•	•	•			
8405 Fire Rated							0	•	•	•			
1801 Shaker 45 Fire Rated							•	•	•	•			
1802 Shaker 45 Fire Rated							•	•	•	•			

# AVAILABILITY GUIDE

Please contact your representative to confirm availability.

**LEGEND** 

Louver Doors & Bi-Folds	Door Widths											Bi-Fold Widths (6/7 Height)		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0	
8730 Large Slat Louver	•			•	•	•	•	•	•	•	•	•	•	
8830 Small Slat Louver				•		•	•	•	•	•	•	•	•	
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0	
8730 Large Slat Louver				•		0	•	0	0	•				
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0	
8730 Large Slat Louver	0			•	0	•	•	•		•	•	•	•	
Primed Direct Glazed Doors					Door \	Widths					Bi-F	Bi-Fold Widths		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0	
8401 Clear	•			•	0	•	•	•	•	•				
8401 DWL	•			•	0	•	•	•	•	•				
8433 Clear	0			•		•	•	•	0	•				
8433 DWL	•			•		•	•	•	•	•				
8405 Clear	•			0		0	•	0	0	•				
8405 DWL	•			•		•	•	•	•	•				
1401 Clear				•			•							

# AVAILABILITY GUIDE

Please contact your representative to confirm availability.

**LEGEND** 

Primed Direct Glazed Doors		Door Widths											Bi-Fold Widths		
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0		
8401 Clear	0			•	0	•	•	•	•	•					
8401 DWL	•			•	0	•	•	•	•	•					
8433 Clear	0			•		•	•	•	0	•					
8433 DWL	0			•		•	•	•	0	•					
8405 Clear	0			•		•	•	•	0	•					
8405 DWL	•			•		•	•	•	•	•					
1401 Clear				•			•								
Woodbar Glazed Door Clear Glass				Door	Widths	(1300 5	Series)				Bi-F	Bi-Fold Widths			
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0		
1310 10 Lite				•		•	•	0		•					
1315 15 Lite				0		0	•	•		•					
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0		
1312 12 Lite				•		•	•	•		•					
1318 18 Lite				0		0	•	0		0					



# BHIDoors SINCE 1963

www.bhiflorida.com